



DIY Door & Window Seals



ENERGY WISE

Reduces home energy costs and helps to save the world's resources.

COMFORT PLUS

Keeps your home warmer in winter and cooler in summer.

Introduction

Throughout Australia, New Zealand, and East Asia hardware groups, home centres, hardware independents and variety stores have relied on Raven for its leading range of DIY and Architectural Door & Window Seals.

Established in 1950, **Raven Products Pty Ltd** is a family company that invents, designs and manufactures products that are exported to over twenty countries.

Simply stated, “The Best Product, at the Best Price, backed by the Best Service” is an objective that has never wavered throughout the company’s history.

HOW BIG IS THE PROBLEM?

The heating and cooling loss from an unsealed home through gaps around doors and windows can be up to 15%. Easy to understand when an unsealed door is the equivalent to removing a house brick from a wall.

INNOVATION & CONTINUOUS IMPROVEMENT

From the early 1960’s **Raven** pioneered DIY and Architectural Door and Window Weather Seal ranges in Australasia and East Asia

Since then **Raven** has continued to invent new and innovative products to augment its already expansive range and respond to customer demand. The company also operates with a policy of ‘**continual improvement**’ which helps to maintain its reputation and leading market position.

QUALITY THAT CONSUMERS TRUST

Today, **Raven** offers the DIY retail trade an unequalled range of self service products perfectly tuned to the latest consumer trends and modern lifestyle demands.

Raven is recognised as a key brand in meeting the rapidly growing demand to save energy (and costs) in the home.

Increasingly consumers are seeking energy conserving products that are manufactured and supplied by a company that they can trust to deliver quality at competitive cost while operating to world best practice guidelines.

Raven Products is quality system certified to the highest ISO 9001:2008 standard and operates to environmental ISO14001 and OH&S, AS/NZS 4801 standards. **Raven** is listed as a preferred manufacturer and supplier with the internationally respected organisation, **Ecospecifier**. www.ecospecifier.com.

VALUE & CONSUMER CHOICE

Raven offer the most comprehensive range of door and window sealing products to suit any budget.

With the best quality and most innovative products in the industry, Raven is the proven brand to rely on.

DISTRIBUTION


Orders are immediately processed and despatched daily, using leading freight carriers to all cities and regional centres. This ensures all orders are delivered promptly within agreed trading terms while being tracked from door to door.

SAVING ENERGY, PROTECTING THE ENVIRONMENT

Today’s consumers are increasingly aware that energy resources are precious. These **Energy Wise** customers are seeking well designed, high quality, durable products that deliver comfort and energy savings year in and year out. **Raven** Door and Window seals deliver a fast and measurable return for a very low cost investment.

Saving energy means not only savings in the family budget but also conserving the earth’s vital resources.

A win win for both the user and the planet!





PACKAGING

To further assist store managers, merchandisers and consumers, **Raven** has introduced a world first to this DIY market segment; Recyclable, tamper resistant packaging to almost the entire product range.

Features and benefits:


- New improved graphics and clearer product choice assists consumer selection and purchase;
- **Energy saving**, environmental impact statements that promote energy conservation as well as greatly increasing levels of comfort in the home;
- The **Raven** Product/Application selection chart appears on every pack. Easier model selection means choosing the right product for the job every time;
- Tough tamper resistant recyclable clamshell packs. Less shop soiled or damaged packaging means less product tampering and expensive store or customer returns.

The **Raven** brand in its new packaging configuration means, improved product identification and selection, greater display impact and most importantly satisfied customers and store owners.



Raven use only recyclable packaging materials.

Door Bottom Seals

MODEL	PRODUCT INFORMATION				CARTON/SHIPPER INFORMATION					
RP1 Rolling Door Seal	Re-order Code	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
	R1	915	Grey	9310459100017	6	09310459500077	995	185	110	4.3

Weather resistant rollers run smoothly with the door over uneven surfaces.

- Fits hinged doors 800 to 915mm.
- Seals gaps to 19mm.
- Ideal for internal doors.
- Easy to install, no tools required.
- Available in neutral grey.

MODEL	Re-order Code	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
RP2A Brush Strip Seal	R2AC	915	Clear Anodised	9310459200014	6	09310459500473	995	75	65	1.45
	R2AB	915	Bronze Anodised	9310459200021	6	09310459500480	995	75	65	1.45
	R2AG	915	Gold Anodised	9310459200038	6	09310459500435	995	75	65	1.45


Premium quality nylon brush seal with aluminium holder sweeps smoothly over hard floors.

- Fits all doors up to 915mm.
- Seals gaps to 19mm.
- Ideal for sliding doors & internal doors.
- Easy to install, self adhesive.
- Available clear, gold & bronze anodised.

MODEL	PRODUCT INFORMATION				CARTON/SHIPPER INFORMATION					
RP3 Automatic Weather Seal  <p>Automatically lifts to clear carpet. Seals tight when door closes.</p> <ul style="list-style-type: none"> • Fits a hinged single door. • Seals gaps to 16mm. • Anodised aluminium, quality rubber blade. • Easy to install. • Available clear, gold & bronze anodised. 	Re-order Code	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
	R3C	915	Clear Anodised	9310459300011	6	09310459500091	995	105	90	3.2
	R3B	915	Bronze Anodised	9310459300028	6	09310459500107	995	105	90	3.2
	R3G	915	Gold Anodised	9310459300035	6	09310459500442	995	105	90	3.2
	R3C4	1220	Clear Anodised	9310459110009	3	09310459500541	1330	95	60	2.0
	R3B4	1220	Bronze Anodised	9310459300042	3	09310459500558	1330	95	60	2.0
	R3G4	1220	Gold Anodised	9310459000133	3	09310459500565	1330	95	60	2.0

RP4 Storm Proof Seal  <p>Guaranteed weatherproof.</p> <ul style="list-style-type: none"> • Fits all hinged doors up to 915mm. • Seals gaps 23 to 25mm (trim door to suit). • For double doors, use two seals. • Anodised aluminium, quality sealing gaskets. • Available clear, gold & bronze anodised. 	R4C	915	Clear Anodised	9310459400018	6	09310459500060	995	175	125	5.3
	R4B	915	Bronze Anodised	9310459400025	6	09310459500084	995	175	125	5.3
	R4G	915	Gold Anodised	9310459700002	6	09310459500404	995	175	125	5.3

Door Bottom Seals

MODEL	PRODUCT INFORMATION				CARTON/SHIPPER INFORMATION					
RP5 Weather Strip Seal	Re-order Code	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
	R5C	915	Clear Anodised	9310459500015	6	09310459500268	995	75	65	1.6
	R5B	915	Bronze Anodised	9310459500022	6	09310459500275	995	75	65	1.6
	R5G	915	Gold Anodised	9310459000164	6	09310459500503	995	75	65	1.6

Weather strip wipe seal for raised door sills.


- Fits doors up to 915mm.
- Seals gaps to 19mm.
- Ideal for screen & outward opening doors.
- Anodised aluminium, quality rubber blade.
- Available clear, gold & bronze anodised.

RP17 Door Bottom Seal	R17W	915	White	9310459170027	12	09310459500398	995	120	75	2.0
	R17B	915	Brown	9310459170010	12	09310459500152	995	120	75	2.0

Door bottom sweep seal.

- Fits all doors up to 915mm.
- Seals gaps to 19mm.
- Ideal for sliding, screen & internal doors.
- Self adhesive, simply cut to size & fit.
- Available white & brown.

RP54 Daniels Rainstop Seal	R54	915	Clear Anodised	9310459220142	4	09310459500053	995	105	90	4.3
---------------------------------------	-----	-----	----------------	---------------	---	----------------	-----	-----	----	-----




Guaranteed rainproof.

- Fits inward opening hinged doors up to 915mm.
- Seals gaps 23 to 25mm (trim door to suit).
- For double doors, use two seals.
- Anodised aluminium, quality rubber seal.
- Clear anodised finish.

Your Home, One Earth

Cut Energy Costs - Raven Door Seals

MODEL	PRODUCT INFORMATION				CARTON/SHIPPER INFORMATION					
RP60 Automatic Door Seal	Re-order Code	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
	R60C	915	Clear Anodised	9310459601002	6	09310459500459	995	105	75	3.2
	R60B	915	Bronze Anodised	9310459602009	6	09310459500497	995	105	75	3.2
	R60G	915	Gold Anodised	9310459603006	6	09310459500466	995	105	75	3.2

Automatic door seal lifts to clear carpet. Seals tight when door closes.

- Fits single hinged doors 450 to 915mm.
- Seals gaps to 15mm.
- For double doors, use two seals.
- Anodised aluminium, quality rubber seal.
- Available clear, gold & bronze anodised.

RP80 Adhesive Threshold Seal	R80G	915	Grey	9310459045318	12	09310459501470	995	120	75	2.1
---	------	-----	------	---------------	----	----------------	-----	-----	----	-----



Self adhesive threshold seal.

Fits to a smooth hard floor surface.




- To suit hinged doors up to 915mm.
- Seals gaps 3 to 13mm.
- Ideal for apartment doors.
- Easy to install, self adhesive.
- Available neutral grey.

RP83 Brush Strip Seal	R83W	915	White	9310459045936	6	09310459509155	995	75	65	1.29
	R83B	915	Brown	9310459045929	6	09310459509148	995	75	65	1.29

Premium quality nylon brush seal sweeps smoothly over hard floors.

- Fits all doors up to 915mm.
- Seals gaps to 19mm.
- Ideal for sliding doors & internal doors.
- Easy to install, self adhesive.
- Available white & brown.

Perimeter Door & Window Seals

MODEL	PRODUCT INFORMATION					CARTON/SHIPPER INFORMATION					
RP7 Weather & Acoustic Frame Seal	Re-order Code	Profile	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
	R7B		2 x 2100, 1 x 1000 (single door set)	Brown	9310459001185	6	09310459501449	2240	70	65	2.7
	R7W		2 x 2100, 1 x 1000 (single door set)	White	9310459001192	6	09310459501456	2240	70	65	2.7

- Rigid and flexible PVC.
- Simply cut to size.
- Nails enclosed.
- Available white & brown.
- Can be painted.

RP14 SERIES Seal Around Doors & Windows



- Quality polyester foam.
- For around doors & windows.
- Stops heat, cold, draughts, dust & insects.
- Self adhesive.





R14W		5000 coil	White	9310459140013	12	09310459500657	135	250	265	0.68
R14G		5000 coil	Grey	9310459140020	12	09310459500640	135	250	265	0.68
R14A		5000 coil	White	9310459140037	12	09310459500626	255	250	265	1.03
R14AG		5000 coil	Grey	9310459000447	12	09310459500879	255	250	265	1.03
R14B		2500 coil	White	9310459140044	12	09310459500633	175	250	265	0.70

RP61 Draught Excluder






- For gaps 2.5 to 5mm.
- Long lasting quality.
- Self adhesive
- Grey woven pile
- Ideal for sash windows and other sliding seal applications.

R61		5000 coil	Grey	9310459610004	10	09310459500572	225	215	135	0.93
-----	---	-----------	------	---------------	----	----------------	-----	-----	-----	------

MODEL	PRODUCT INFORMATION					CARTON/SHIPPER INFORMATION					
RP48 Door & Window Weather Strip	Re-order Code	Profile	Seal Length (mm)	Colour	EAN Code	Units/ Carton	TUN Code	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
	R48W		5000 (2 x 2500 coil)	White	9310459480010	12	09310459500596	285	155	185	1.12
	R48B		5000 (2 x 2500 coil)	Brown	9310459480027	12	09310459500589	285	155	185	1.12
	R48G		5000 (2 x 2500 coil)	Grey	9310459045967	12	09310459509117	285	155	185	1.12

For gaps 3 to 5mm.

- For around doors & windows.
- Stops heat, cold, draughts, rain, bushfire embers, noise & insects.
- Self adhesive.
- Superior quality soft EPDM rubber.
- Available white, grey & brown.

	R55W		5000 (2 x 2500 coil)	White	9310459000560	12	09310459500909	285	155	185	1.00
	R55B		5000 (2 x 2500 coil)	Brown	9310459000553	12	09310459500893	285	155	185	1.00


For gaps 3 to 6mm.

- Self adhesive.
- Superior quality soft EPDM rubber.
- Available white & brown.

	R59W		5000 (2 x 2500 coil)	White	9310459590016	12	09310459500619	285	155	185	0.90
	R59B		5000 (2 x 2500 coil)	Brown	9310459590023	12	09310459500602	285	155	185	0.90
	R59G		5000 (2 x 2500 coil)	Grey	9310459045974	12	09310459509124	285	155	185	0.90

For gaps 2 to 4mm.

- Self adhesive.
- Superior quality soft EPDM rubber.
- Available white, grey & brown.

	R108W		2000	White	9310459000546	12	09310459501371	285	155	185	1.20
	R108G		2000	Grey	9310459000515	12	09310459501364	285	155	185	1.20

- Self adhesive.
- Superior quality soft EPDM rubber.
- Long life.
- Available white & grey.
- Ideal for boats, trailers, hatches, trucks and anywhere a large durable seal is needed.

PROBLEM SOLVING CHART

1. Identify type of door or window.
2. Identify the problem.
3. Identify the seal with this guide.

		Door & window type											Problem				Remarks			
		Single inward opening	Single outward opening	Double inward opening	Double outward opening	Sliding	Double swing pivot hinged	Security Screen, bi-fold	Awning, casement, hopper	Sash, double hung	Draughts, obours	Dust	Rain	Noise	Insects	Heat or cold		Rodents	Bushfire embers	
Door bottom seals	RP1	●		●															Internal doors / gaps to 19mm	
	RP2A/83	●	●	●	●	●	●	●										●	Gaps up to 19mm	
	RP3	●																	●	Lifts to clear carpets / gaps up to 16mm
	RP4	●	●	●	●		●												●	25mm gap between door & sill required
	RP5	●	●	●	●			●											●	Gaps up to 19mm
	RP17	●	●	●	●	●	●	●												All PVC construction
	RP54	●		●															●	22 to 25mm gap between door & sill required
	RP60	●		●															●	Lifts to clear carpets / seals gaps to 15mm
RP80	●	●	●	●		●	●												Seals gaps 3 to 13mm / self adhesive	
Weather seals for around doors & windows	RP7	●	●	●	●			●											Nail on PVC door & window frame seal	
	RP14	●	●	●	●			●	●										Gaps 3 to 5mm / self adhesive	
	RP48	●	●	●	●			●	●										Gaps 3 to 5mm / self adhesive	
	RP55	●	●	●	●			●	●										Gaps 3 to 6mm / self adhesive	
	RP59	●	●	●	●			●	●										Gaps 2 to 4mm / self adhesive	
	RP61	●	●	●	●	●	●	●	●	●									Gaps 2.5 to 5mm / self adhesive	
Large gaps	RP108 15mm x 8mm thick				RP14A 19mm x 6mm thick				RP14B 12mm x 12mm				User determined application							

© Copyright Raven Products Pty.Ltd.2007

Most doors and windows can be sealed using a combination of threshold seals and frame seals. The chart above shows you how.

DIY DOOR & WINDOW PERIMETER SEALS



RP48



RP55



RP59



RP108



RP61



RP14-SERIES

Your Home, One Earth

Conserve, Sustain & Save - Raven Door & Window Seals

DIY DOOR & WINDOW PERIMETER SEALS



RP7 ILLUSTRATION DOES NOT SHOW LENGTH OF ENTIRE PACK

DIY DOOR BOTTOM SEALS



RP1

RP2A

RP3

RP4

RP5

RP17

RP54


RP60

RP80

RP83

RAVEN ICONS


These icons have been developed to help clearly define the features of each seal to the customer. They are displayed on all packs.



Heat



Cold



Rain



Draughts



Insects



Noise



Bushfire Embers



Raven Products Pty. Ltd.
Head Office and Factory
18-22 Aldershot Road,
Lonsdale SA 5160
Australia

TELEPHONE +61 8 8384 5455
FACSIMILE +61 8 8382 8885

EMAIL - Technical Advice Enquiries tech.advice@raven.com.au

WEB www.raven.com.au

Raven Door and Window Seals are available from all leading Hardware outlets Australia Wide