

# CONSUMER PRODUCT CATALOGUE 2.3



DIY Door & Window Seals
DIY Garage Seals
DIY Window Cleaning
Glidex® Advanced Window Cleaning
DIY Floor Edging & Stair Treads
Threshold Access Ramps
Garden Edging







## Introduction

Throughout Australia hardware groups, home centres, hardware independents and variety stores have relied on Raven for its leading range of door and window seals. Today, Raven also provide an extensive range of window cleaning products, floor edging and access ramps in addition to the popular door and window seal range to the retail, DIY and trade markets.

#### **The Original & The Best**

Established in 1950, Raven Products Pty Ltd remains an Australian family owned and operated company and now a member of Family Business Australia. Raven invents, designs and manufactures products that are exported all over the world. Over the years, Raven has perfected and streamlined its manufacturing and distribution systems to ensure optimum reliability in supply whilst guaranteeing Raven's legendary quality. That's why we stamp our products with 'The Original & The Best' gold seal.





#### **Quality & Innovation**

Raven Products Pty Ltd is quality certified to the highest ISO 9001 standards and operates to environmental ISO4001 and OH&S AS/NZS 4801. Also listed as a preferred manufacturer and supplier with Australia's internationally respected organisation, Global GreenTag, we can continue to maintain our reputation and leading market position throughout Australasia and the world. Our continual improvement policy means that we continue to invent new and innovative products perfectly tuned to the latest consumer trends and demands.





Cert. No. AU96/678

#### Distribution

Raven Products headquarters and distribution centre is strategically located in Lonsdale, South Australia. Orders are immediately processed and despatched daily using leading express freight carriers throughout Australia ensuring prompt deliveries that are tracked door to door. This means you are working with an Australian owned and operated company that are always available to assist where needed.




## **Contents**



DIY Door & Window Seals DIY Garage Seals

2



**DIY Window Cleaning** 

12



Glidex® Advanced Window Cleaning

14



**DIY Floor Edging & Stair Treads** 

18



**Threshold Access Ramps** 

22



**Inspire® Garden Edging** 

24





# **DIY DOOR & WINDOW SEALS**

Raven pioneered DIY and architectural door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of door bottom seals and weather stripping designed to meet any need or configuration. The handy selection guide over the page makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact. Popular ranges are also available in trade packs.



- Easy self serve product! - Huge display impact

- The original &

the best!

- A seal for every problem

# RAVEN DIY Door & Window Seals

# How big is the problem?


The heating and cooling loss from an unsealed home through gaps around doors and windows can be up to 50%.

- Draughty and expensive!

## What does it cost?

While the problem is big the cost of the solution is small. In fact, the energy saving benefit of fitting Raven door and window seals is a fraction of the cost as compared with double glazing or roof and wall insulation.

## **Raven Seal Selection Guide**



© Raven Products Pty. Ltd. 2021

The product selection guide is featured on every pack so that the product range becomes self-serve and customers can confidently select the right sealing solution for them.

These icons have also been developed and displayed on packaging so the customer can clearly identify the features of each product.







Rain











Heat

Cold

**Draughts** 

Insects

**Noise** 

**Bushfire Embers** 

**Rodents** 

#### **Door Bottom Seals**

#### RP2A

#### **BRUSH STRIP DOOR SEAL**

Soft brush seal sweeps smoothly over hard floors

- Ideal for all sliding and hinged doors up to 920mm
- Easy fit, self adhesive
- Quality long life anodised aluminium. UV treated premium grade nylon brush
- Seals gaps up to 19mm
- Available in silver, gold and bronze anodised






Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R2AB	Bronze Anodised	920	9310459200021	6	09310459500480	1016	65	65	1.38		
R2AC	Silver Anodised	920	9310459200014	6	09310459500473	1016	65	65	1.38		
R2AG	Gold Anodised	915	9310459200038	6	09310459500435	1005	79	65	1.5		
R2AB4	Bronze Anodised	1220	9310459229428	6	09310459514906	1315	100	65	1.996		
R2AC4	Silver Anodised	1220	9310459229435	6	09310459514913	1315	100	65	1.996		

#### RP3

#### **AUTOMATIC WEATHER SEAL**

Automatically lifts to clear carpet. Seals tight when door closes



- Easy fit, fixings included
- Quality long life anodised aluminium. UV treated rubber seal
- Seals gaps up to 16mm
- Available in silver, gold and bronze anodised




Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R3B	Bronze Anodised	920	9310459300028	6	09310459500107	1015	116	72	2.6		
R3C	Silver Anodised	920	9310459300011	6	09310459500091	1015	116	72	2.6		
R3G	Gold Anodised	920	9310459300035	6	09310459500442	1015	116	72	2.6		
R3B4	Bronze Anodised	1220	9310459300042	3	09310459500558	1320	75	60	1.86		
R3C4	Silver Anodised	1220	9310459110009	3	09310459500541	1320	75	60	1.86		
R3G4	Gold Anodised	1220	9310459000133	3	09310459500565	1320	75	60	1.86		

#### RP4

#### STORM PROOF DOOR SEAL

Weatherproof



- Handy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium with UV treated seal gaskets
- Seals gaps 23-25mm (trim door to suit)
- Available in silver, gold and bronze anodised



Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R4B	Bronze Anodised	926	9310459400025	6	09310459500084	1010	205	73	4.6		
R4C	Silver Anodised	926	9310459400018	6	09310459500060	1010	205	73	4.6		
R4G	Gold Anodised	915	9310459700002	6	09310459500404	1010	205	73	4.6		



#### **Door Bottom Seals**

#### RP5

#### WEATHER STRIP DOOR SEAL

Weather strip seal for raised door sills

- Ideal for security screens & outward opening doors up to 920mm
- Easy fit, self adhesive
- Quality long life anodised aluminium. UV treated rubber seal
- Seals gaps up to 19mm
- Available in silver, gold and bronze anodised




Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R5B	Bronze Anodised	920	9310459500022	6	09310459500275	1020	68	65	1.28		
R5C	Silver Anodised	920	9310459500015	6	09310459500268	1020	68	65	1.28		
R5G	Gold Anodised	920	9310459000164	6	09310459500503	1020	68	65	1.28		

#### **RP17**

#### **DOOR BOTTOM SWEEP SEAL**

Flexible seal sweeps over carpet and hard floors



- Easy fit, self adhesive
- Quality UV treated co-extruded polymer seal
- Seals gaps up to 19mm
- Available in white and brown




Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R17B	Brown	920	9310459170010	12	09310459500152	1014	118	67	1.99		
R17W	White	920	9310459170027	12	09310459500398	1014	118	67	1.99		

#### **RP54**

#### **DANIELS RAINSTOP SEAL**





- For double doors, use two seals
- Handy fit, fixings included
- Quality long life anodised aluminium. UV treated co-extruded polymer seal
- Available in silver anodised



Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R54	Silver Anodised	926	9310459220142	4	09310459500053	1020	85	73	2.66		

### **Door Bottom Seals**

#### **RP60**

#### **AUTOMATIC NOISE & WEATHER SEAL**

Automatically lifts to clear carpet. Seals tight when door closes

- Ideal for single or double, butt hinged doors up to 920mm
- For double doors, use two seals
- Easy fit, fixings included
- Quality long life anodised aluminium. UV treated rubber seal & cover strip
- Seals gaps up to 15mm
- Available in silver, gold, bronze and black anodised




Product Inform	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R60B	Bronze Anodised	920	9310459602009	6	09310459500497	1015	85	67	2.8		
R60C	Silver Anodised	920	9310459601002	6	09310459500459	1015	85	67	2.8		
R60G	Gold Anodised	915	9310459603006	6	09310459500466	1003	109	79	3.1		
R60BK NEW	Black Anodised	920	9310459230950	6	09310459516153	1015	85	67	2.8		

#### **RP83**

#### **BRUSH STRIP DOOR SEAL**

Soft brush seal sweeps smoothly over hard floors



- Easy fit, self adhesive
- Quality UV treated polymer holder. UV treated premium grade nylon brush
- Seals gaps up to 19mm
- Available in white and brown




Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R83B	Brown	920	9310459045929	6	09310459509148	1014	85	67	1.65		
R83W	White	920	9310459045936	6	09310459509155	1014	85	67	1.65		

#### **RP123**

#### **RAIN PROOF DOOR SEAL**

Weatherproof



- Handy fit, screw fixings included
- For double doors, use two seals
- Quality anodised aluminium threshold plate. UV treated co-polymer seal
- Seals gaps -

Flat sill: 19-20mm (trim door to suit) Rebated sill: 12-13mm (trim door to suit)

Available in silver and bronze anodised



Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R123B	Bronze Anodised	915	9310459229404	6	09310459514883	1015	205	70	4.1		
R123C	Silver Anodised	915	9310459229411	6	09310459514890	1015	205	70	4.1		
R123B4	Bronze Anodised	1220	9310459229442	6	09310459514920	1320	110	107	5.32		
R123C4	Silver Anodised	1220	9310459229459	6	09310459514937	1320	110	107	5.32		



### **Perimeter Door & Window Seals**

#### RP7

#### **WEATHER & ACOUSTIC FRAME SEAL**

For gaps up to 7mm (compression 1-3mm)

- For around hinged doors or windows
- Rigid and flexible PVC
- Simply cut to size
- Fixing nails supplied
- Can be painted
- Available in white and brown



Product Informa	tion			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R7B	-\[ \begin{array}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2 x 2100, 1 x 1000 (single door set)	9310459001185	6	09310459501449	2235	70	70	2.87		
R7W	$\begin{array}{c c} & 20 \\ \hline \\ & 12 \\ \hline \\ & White \\ \end{array}$	2 x 2100, 1 x 1000 (single door set)	9310459001192	6	09310459501456	2235	70	70	2.87		

#### **RP14 SERIES**

#### **SEAL AROUND DOORS & WINDOWS**



- Superior quality urethane foam
- Self Adhesive
- For around doors and windows
- RP14 available in white and grey
- RP14A available in white and grey
- RP14B available in white



Product Informa	ation			Carton	/Shipper Informat	ion			
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg
R14W	white	5000 coil	9310459140013	12	09310459500657	250	137	266	0.687
R14G	Grey	5000 coil	9310459140020	12	09310459500640	250	137	266	0.687
R14A	o] High White	5000 coil	9310459140037	12	09310459500626	254	255	268	1.041
R14AG	o] 19 Grey	5000 coil	9310459000447	12	09310459500879	254	255	268	1.041
R14B	2 12 White	2500 coil	9310459140044	12	09310459500633	250	175	264	0.72

### **Perimeter Door & Window Seals**

#### **RP48**

#### **DOOR & WINDOW WEATHER STRIP**

For gaps 3-5mm

- Superior quality
- Self adhesive
- Unique extra soft EPDM rubber
- Long life
- Available in white, grey and brown



Product Informa	ation			Carton	/Shipper Informat	ion			
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg
R48B	o∏ o∏ Brown	5000 (2x2500 coil)	9310459480027	12	09310459500589	265	165	205	1.22
R48G	∞∏ Grey	5000 (2x2500 coil)	9310459045967	12	09310459509117	265	165	205	1.22
R48W	o∏	5000 (2x2500 coil)	9310459480010	12	09310459500596	265	165	205	1.22

#### **RP59**

#### **WINDOW & DOOR WEATHER STRIP**

For gaps 2-4mm



- Superior quality
- Self adhesive
- Unique extra soft EPDM rubber
- Long life
- Available in white, grey and brown




Product Informa	Product Information					Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
R59B	Brown	5000 (2x2500 coil)	9310459590023	12	09310459500602	265	165	205	1.12			
R59G	Grey 9	5000 (2x2500 coil)	9310459045974	12	09310459509124	265	165	205	1.12			
R59W	White	5000 (2x2500 coil)	9310459590016	12	09310459500619	265	165	205	1.12			

## **Perimeter Door & Window Seals**

#### **RP108**

#### **MULTI-USE RUBBER SEALING STRIP**

For gaps 6-8mm



- Unique extra soft EPDM rubber
- Long life
- Available in white and grey



Product Inform	Product Information				Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R108G	∞ T S Grey	2000	9310459000515	12	09310459501364	275	177	215	1.4		
R108W	∞ 15 White	2000	9310459000546	12	09310459501371	275	177	215	1.4		

#### **RP61**

#### **DRAUGHT EXCLUDER**

For gaps 3-5mm



- Ideal for sash window and other sliding seal applications
- Long lasting quality
- Self adhesive
- Grey woven pile
- Available in grey



Product Informa	Product Information				Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
R61	∞	5000 coil	9310459610004	10	09310459500572	114	218	255	1.115			

#### **RP113**

#### **TIMBER STOP SEAL**

For gaps up to 7mm (compression 1-3mm)



- Fixing nails supplied
- Available in genuine plantation Tasmanian oak

	\\\ <b>\</b>		<b>S</b>		
×	濼	1111	$\mathbb{R}$	袾	


Product Information					Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
R113	∞ Srown	2 x 2100, 1 x 1000 (single door set)	9310459001024	3	09310459501463	2400	30	70	4.22		





Keep your garage clean and dry! Stop rain, leaves and debris from blowing into your garage and protect your belongings from damage by sealing your garage door.

Raven's garage door seals are quick and easy to install and maintenance free.





## **Garage Seals**

RAVEN BOAL

#### **RP141**

#### **GARAGE DOOR THRESHOLD SEAL**

Length: 3200mm for a standard, single vehicle opening. For double vehicle openings, use two seals



- Suitable for Roll-Up, Panel-Lift and Tilt-up garage doors.
- Easy for cars and trucks to drive over
- A bushfire ember barrier up to BAL40 rating
- Maintenance free co-polymer with yellow step indicator
- Fits to a flat or stepped concrete floor
- Adhesive included




Product Informa	Product Information				Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
R141G3200	Grey	3200	9310459226816	1	N/A	330	355	72	2.35			

#### **RP142**

#### UNIVERSAL REPLACEMENT ROLLER-DOOR SEAL

Universal replacement seal to suit garage roller-doors:







- Steel-line



• Flexible polymer seal



Product Informa	Product Information				Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
R142	Grey	3000	9310459229961	6	09310459515354	380	200	220	3.1			

#### **RP143**


#### **REPLACEMENT ROLLER-DOOR SEAL**

Replacement seal to suit B&D garage roller-doors made before 1997.



• Flexible polymer seal











# DIY WINDOW CLEANING

Founder of Raven Products Pty Ltd, Peter Raven, invented and patented the world's first combination window cleaner / squeegee in the early 1950's. The Raven range of window cleaners and squeegees have remained a popular line in hardware stores across Australia ever since.

Constructed with ultralight aluminium, premium quality sponge and brush and incorporating a unique double life reversible rubber blade, the Raven range of window cleaners and squeegees are designed for reliable everyday window cleaning use.

Ideal for efficient window cleaning around the home, Raven window cleaners and squeegees are also suitable for cleaning motor car windscreens, boats, shower screens and more.

- For reliable everyday use - Ideal for the home, boat, car or caravan - High quality
  - materials - Reversible double life rubber blade



### **Window Cleaners**

#### H209a, H209b

#### WINDOW CLEANER



- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole

Product Inform	Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg				
H209a	Silver Anodised	300	9310459209178	6	09310459515200	540	315	122	1.963				
H209b	Silver Anodised	400	9310459209284	6	09310459515217	460	415	140	2.52				

#### H223, H224, H225

#### **WINDOW SQUEEGEE**





- Ultra light aluminium
- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles

Product Informa	Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg				
H223	Silver Anodised	225	9310459223105	12	09310459500046	280	220	205	1.1				
H224	Silver Anodised	300	9310459224119	12	09310459500138	352	225	205	1.285				
H225	Silver Anodised	400	9310459225123	12	09310459500145	485	212	152	1.59				

### H209s

#### PRECISION RUBBER BLADE







Product Information					Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
H209s	Grey	400	9310459046582	12	N/A	N/A	N/A	N/A	N/A		





# **ADVANCED WINDOW CLEANING**

Glidex® is a range of advanced window cleaning products combining six years of research and leading edge manufacturing technologies.

Originally developed for the intense professional market, Glidex® window cleaning products are now available to everyone through leading hardware outlets across Australia. The range includes professional window squeegees of various sizes and window washers as well as replacement parts and accessories like utility end tips and reach poles.

This high quality professional product is ideal for those in coastal areas or for anyone wanting an easy cleaning experience with professional results.

- A professional range for the home or business
- Ideal for coastal or holiday areas
- Replacement blades and accessories available
- Premium quality

# **Solidex** Advanced Window Cleaning



# S glidex Advanced Window Cleaning

## The Glidex® Product Range

#### GS12D

#### **300MM GLIDEX® PROFESSIONAL WINDOW SQUEEGEE**

- Unique reversible twin life squeegee blade
- Aircraft grade aluminium channel
- Ergonomic swivel handle
- Fittings moulded in engineering grade Nylon 66
- Unique Safe-Connect™ latch feature for Glidex® poles
- Unique double action lever lock feature
- Unique extra fitment groove to alter squeegee angle

Product Informa	ntion			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
GS12D	Black / Blue	300	9310459045523	6	09310459503856	420	150	248	1.82		

#### GT14D

#### 350MM GLIDEX® PROFESSIONAL T-BAR WINDOW WASHER

- Unique Safe-Connect™ latch feature for Glidex® poles
- · Premium quality double twist yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook and loop style fastening tabs



Product Informa	Product Information				Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
GT14D	Blue	350	9310459045547	6	09310459503986	497	180	290	1.95		

#### GC18D

#### 450MM GLIDEX® CHANNEL AND RUBBER

- Ultra stiff alloy channel
- High temper aircraft grade aluminium
- Unique reversible twin life squeegee blade
- Stainless steel retaining clips



Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
GC18D	Blue	450	9310459045530	6	09310459503863	545	110	136	1.50			

### **GW14D**

#### 350MM GLIDEX® WINDOW WASHER REPLACEMENT SLEEVE

- Premium quality double twist yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook and loop style fastening tabs



Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
GW14D	Blue	350	9310459045554	6	09310459503993	492	78	250	1.10			

# **Second State of Mindow Cleaning**

## The Glidex® Product Range

#### GR36D

#### 910MM GLIDEX® WINDOW SQUEEGEE REFILL BLADE

- Unique reversible twin life squeegee blade
- · High quality natural rubber
- Simply cut to length
- Unique micro-eye process ensures rubber blade is free from imperfections



Product Information					Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
GR36D	Black	910	9310459045561	6	09310459504006	187	120	185	0.56		

#### **GPE2D**



#### **GLIDEX® UTILITY END TIP**

- Fits Glidex® extension poles
- Fits most paint rollers, brushes and squeegees
- Fittings moulded in engineering grade Nylon 66

Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
GPE2D	Black	N/A	9310459046162	6	09310459509438	180	120	185	0.50			

#### G2P2



#### GLIDEX® 2 SECTION EXTENSION POLE Extends to 600mm (2 Feet)

- Aircraft grade anodised aluminium
- Safe-Connect™ latch feature for Glidex® attachments
- Fluted grip design for added comfort and safety
- Fittings moulded in engineering grade Nylon 66

Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
G2P2	Silver Anodised	600	9310459000577	6	09310459500916	510	120	80	1.82			

#### **G3P9**



#### GLIDEX® 3 SECTION EXTENSION POLE Extends to 2880mm (9 Feet)

- Aircraft grade anodised aluminium
- Safe-Connect™ latch feature for Glidex® attachments
- Fluted grip design for added comfort and safety
- Fittings moulded in engineering grade Nylon 66

Product Information				Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
G3P9	Silver Anodised	2880	9310459045578	6	09310459505935	1185	150	85	5.78		



# **DIY Floor Edging & Stair Treads**



# DIY FLOOR EDGING & STAIR TREADS

Made from high quality anodised aluminium, Raven's range of floor edging, stair treads and trim are the ideal DIY solution available in various colours and lengths. Simply cut to size for a modern and flawless finish to flooring joins, thresholds and stair edges.

- For flooring joins, thresholds and stair edges
- Convenient sizes
- Easily cut to size
- Self serve retail packaging



# **DIY Floor Edging & Stair Treads**

## **Floor Edging**

#### H230



#### **LINO EDGING**

- Premium quality aluminium
- Available silver and gold anodised
- Available 900mm and 1800mm lengths
- Nails supplied (suitable for timber floors)
- Width 24mm
- Height 6mm

Product Inform	ation			Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg	
H230C	Silver Anodised	900	9310459230004	12	09310459500688	988	70	57	1.37	
H230G	Gold Anodised	900	9310459230103	12	09310459500671	990	72	56	1.25	
H230AC	Silver Anodised	1800	9310459000003	12	09310459500299	1887	72	58	2.57	
H230AG	Gold Anodised	1800	9310459000027	12	09310459500305	1890	74	56	2.60	

#### H23



#### CARPET EDGING

- Premium quality aluminium
- Available silver and gold anodised
- Available 900mm and 1800mm lengths
- Nails supplied (suitable for timber floors)
- Width 32mm
- Height 9mm

Product Information					Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
H231C	Silver Anodised	900	9310459231001	12	09310459500664	990	79	66	1.95		
H231G	Gold Anodised	900	9310459231018	12	09310459500534	990	75	65	1.92		
H231AC	Silver Anodised	1800	9310459000034	12	09310459500510	1895	79	68	3.60		
H231AG	Gold Anodised	1800	9310459000041	12	09310459500527	1895	81	67	3.70		

#### H235







- Dome head annular nail
- Available silver and gold anodised
- 30mm long x 2.5mm diameter
- Gold 5µm thick passivated plate
- 20 nails per pack

Product Information					Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
H235C	Silver	30	9310459000140	12	09310459500756	185	120	125	0.60			
H235G	Gold	30	9310459000157	12	09310459500763	180	118	120	0.53			



# RAYEN DIY Floor Edging & Stair Treads

### **Stair Treads**

#### **FLAT STAIR TREAD**

- Premium quality aluminium
- Available silver and gold anodised
- Available 1000mm and 2000mm lengths
- Width 38mm
- - Height 4mm
- Can be drilled and screwed or if suited, fastened with builders adhesive (screws and adhesive not supplied)

Product Informa	ation			Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
H233C	Silver Anodised	1000	9310459000058	6	09310459500350	1070	72	34	2.02		
H233G	Gold Anodised	1000	9310459000072	6	09310459500367	1065	70	30	2.10		
H233AC	Silver Anodised	2000	9310459000065	6	09310459500374	2075	70	30	4.14		
H233AG	Gold Anodised	2000	9310459000089	6	09310459500381	2075	70	30	4.12		

#### H234



#### **BULL NOSE STAIR TREAD**

- Premium quality aluminium
- Available silver and gold anodised
- Available 1000mm and 2000mm lengths
- Width 46mm
- Height 15mm
- Can be drilled and screwed or if suited, fastened with builders adhesive (screws and adhesive not supplied)

Product Information					Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
H234C	Silver Anodised	1000	9310459000096	6	09310459500312	1110	68	68	2.55		
H234G	Gold Anodised	1000	9310459000119	6	09310459500329	1110	65	65	2.70		
H234AC	Silver Anodised	2000	9310459000102	6	09310459500336	2120	72	69	5.17		
H234AG	Gold Anodised	2000	9310459000126	6	09310459500343	2115	65	70	5.34		



# **RAYEN** DIY Floor Edging & Stair Treads

### **Crescent & Flat Trims**



#### **CRESCENT TRIM**

- Premium quality aluminium
- Available silver and gold anodised
- Available 900mm and 1800mm lengths
- Ideal for use with Raven door seals
- Width 25mm
- Height 5mm
- Can be drilled and screwed or if suited, fastened with builders adhesive (screws and adhesive not supplied)

	Or.
AS1428	Compliant

Product Information				Carton/Shipper Information							
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
H237C	Silver Anodised	900	9310459000362	12	09310459500794	950	78	55	2.19		
H237G	Gold Anodised	900	9310459000379	12	09310459500800	950	78	55	2.19		
H237AC	Silver Anodised	1800	9310459000348	12	09310459500770	1965	70	55	4.4		



#### **FLAT TRIM**

- Premium quality aluminium
- Available silver and gold anodised
- Available 900mm and 1800mm lengths
- Ideal for use with Raven door seals
- Width 40mm
- Height 3.5mm
- Can be drilled and screwed or if suited, fastened with builders adhesive (screws and adhesive not supplied)



Product Information				Carton/Shipper Information							
Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
Silver Anodised	900	9310459000409	12	09310459500831	950	78	55	3.09			
Gold Anodised	900	9310459000416	12	09310459500848	950	78	55	3.09			
Silver Anodised	1800	9310459000386	12	09310459500817	1965	70	55	6.39			
Gold Anodised	1800	9310459000393	12	09310459500824	1965	70	55	6.39			
- - - - - - - - - - - - - - - - - - -	olour  Iver Anodised old Anodised  Iver Anodised	lver Anodised 900 old Anodised 900 lver Anodised 1800	Iver Anodised         900         9310459000409           old Anodised         900         9310459000416           Iver Anodised         1800         9310459000386	Iver Anodised         Length mm         EAN Code         Units/Carton           Iver Anodised         900         9310459000409         12           old Anodised         900         9310459000416         12           Iver Anodised         1800         9310459000386         12	Iver Anodised         Policy Processing         Description         Description         TUN Code         Carton         TUN Code           Iver Anodised         900         9310459000409         12         09310459500831           old Anodised         900         9310459000416         12         09310459500848           Iver Anodised         1800         9310459000386         12         09310459500817	Iver Anodised         900         9310459000409         12         09310459500831         950           old Anodised         900         9310459000416         12         09310459500848         950           Iver Anodised         1800         9310459000386         12         09310459500817         1965	bolour         Length mm         EAN Code         Units/ Carton         TUN Code         Length mm         Width mm           Iver Anodised         900         9310459000409         12         09310459500831         950         78           old Anodised         900         9310459000416         12         09310459500848         950         78           Iver Anodised         1800         9310459000386         12         09310459500817         1965         70	bolour         Length mm         EAN Code         Units/ Carton         TUN Code         Length mm         Width mm         Height mm           Iver Anodised         900         9310459000409         12         09310459500831         950         78         55           old Anodised         900         9310459000416         12         09310459500848         950         78         55           Iver Anodised         1800         9310459000386         12         09310459500817         1965         70         55			



# RAVEN Threshold Access Ramps



# THRESHOLD ACCESS RAMPS

The simplest most affordable threshold access ramp for homes, at work, shops, professional practices and more!

Surprisingly affordable and much cheaper than messy cement or custom made metal plates. The Raven threshold ramp simply lays in place or permanently fix with builders adhesive. Raven threshold ramps meet access and mobility gradient 1:8 at door ways (in path of access and egress).

- Reduce tripping hazards at doorways
- Made from slip resistant recycled rubber
- Quick and easy installation
- Meets access and mobility gradient 1:8 (in path of access and egress)

# For safety & convenience:

- At home
- In aged care facilities
- In hotels & motels Ideal for:
- Delivery drivers & tradies
- Wheelchair users



## **Threshold Access Ramps**

#### TR025 25MM THRESHOLD RAMP

- Retrofit solution
- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access & mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Length: 1010mm x Width: 200mm x Height: 25mm
- Simply cut to size

Product Information			Carton/Shipper Information							
Re-order Code	der Code Colour EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg			
TR025	Black	9310459045875	2	09310459508813	1105	225	54	7.58		

#### TR050 **50MM THRESHOLD RAMP**



- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access & mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Length: 1140mm x Width: 400mm x Height: 50mm
- Simply cut to size


Product Information			Carton/Shipper Information							
Re-order Code Colour EAN Code		EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg		
TR050	Black	9310459045882	1	09310459508820	1185	412	62	13.7		



Point of sale included with product. Suitable for retail display.







# **GARDEN EDGING**

Inspire® Garden Edging's unique patented tooth design makes installation so quick and simple that anyone can do it.

With Inspire® Garden Edging you can achieve a professional finish without the hard work. Designed and manufactured in Australia, Inspire garden edging does not need expensive pegs.

Australia's harsh weather conditions can be a challenge for any outdoor product. To meet this challenge head-on, Inspire® Garden Edging is made from durable, high grade colour-coated galvanised steel. Above all, this quality dual-layer protective coating ensures the longest life to keep your garden looking its best.

Available in Modern & Heritage designs.

Scan the QR code or visit inspireproducts.com.au/video to view the installation video.






- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra
- Easily bend teeth out of the way of roots, pipes or rocks
- Joiners included

## **Garden Edging**

### EH100WG

### HERITAGE GARDEN EDGING

• Joiners included. No pegs required!



Colour: Wood Grey

Material: Colour-Coated Galvanised Steel



Product Information				Carton/Shipper Information							
	Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg	
	EH100WG	Wood Grey	1000	9310459230189	6	09310459515569	1005	175	35	10.5	

#### EM100WG

#### **MODERN GARDEN EDGING**

• Joiners included. No pegs required!


• Length: 1000mm • Height: 168mm Colour: Wood Grey

• Material: Colour-Coated Galvanised Steel



Product Information				Carton/Shipper Information						
Re-order Code	Colour	Length mm	EAN Code	Units/ Carton	TUN Code	Length mm	Width mm	Height mm	Weight kg	
EM100WG	Wood Grey	1000	0310//50230106	6	00310/150515576	1005	175	25	10.5	

Point of sale included with product. Suitable for retail display.













#### Raven Products Pty. Ltd.

**Head Office and Factory** 

18–22 Aldershot Road, Lonsdale SA 5160 Australia

T (08) 8384 5455 T 1800 888 123 (free call) E sales@raven.com.au www.raven.com.au

